

Spare Parts Catalog MT-L 3075 II Material number: 4474.051.332 Current date: 21.06.2019

ZF Friedrichshafen AG Hauptverwaltung 80038 Friedrichshafen Deutschland Telefon: +49 7541 77-0 Telefax: +49 7541 77-908000 www.zf.com Passau

zuständiges Werk:

Notes relating to the spare parts catalog

Setup of the spare parts catalog

- Cover sheet

- Tecnical Cover (only in SDM print)

Overview of figures

- Figure

- Associated parts list

- Next figure
- Associated parts list
- ...

Overview of figures

Bildtafel Figure	Sachnummer Product number	Benennung (Description)	Technische Info Technical info	Description (Benennung)	Menge Quantity	Einheit Unit
068.08.17	1316.170.001	AUSLEGER	WL	SHIFT TURRET	1	Stk
068.08.06	1316.170.031	DECKEL	WL*H-H *VM	COVER	1	Stk
0680814	1316.170.808	DECKEL	WL*AUSL+GEH*H-H*HF160N	COVER	1	Stk
08	1316.170.441	ANSCHLUSSTEILE	WL*NG-VORB*RG-SCHL*168N *BAJONETT	CONNECTING PARTS	1	Stk

The "gap" indicates that there is no separate graphics panel (poster) for this assembly The parts of this assembly are shown with the same mid-section number on the figure

Figure and parts list

2 01.630 * 01.600 01.310 01.310 01.310 01.350 * 01.350 * 01.360 01.360

1 Positions and subpositions

Pos.	Sachnummer Product number	Benennung (Description)		Description (Benennung)	Menge Quantity	Einheit Unit
0370	1315.201.054	RUECKLAUFBOLZEN	KPL.16S151*SG*L= 79	REV.IDLER SHAFT	1	Stk
/0120	0631.329.293	SPANNSTIFT		SLOT. PIN	1	Stk

Positions marked with "/" are the individual items of a completion

For example: Position 0370 contains a centering pin with the position /0120

(2) <u>Combinations with standardized parts</u>

	Sachnummer Product number	Benennung (Description)	Technische Info Technical info	Description (Benennung)	Menge Quantity	Einheit Unit
0630		VERSCHL.SCHR.		SCREW PLUG	1	Stk
	0636.302.067	VERSCHL.SCHR.		SCREW PLUG	1	Stk
	0634.801.249	DICHTRING	A 26 X 31	SEALING RING	1	Stk

The parts list shows the components included in the combination of standardized parts

3 Depiction of position/item number on the figure and in the parts list

01.620 - on the figure 01 relates to the assembly in which the position is included. Due to program-related reasons, it is shown on the figure.

0620 - in the parts list

Pos	Sachnummer	Benennung	Technische Info	Description	Menge	Einheit
	Product number	(Description)	Technical info	(Benennung)	Quantity	Unit
062	0732.040.736	DRUCKFEDER		COMPRESSION SPRING	1	Stk

4 <u>*-Positions</u>

Positions marked with an * are optional i.e. inclusion in the parts list is not mandatory. The following note is shown on the figure

*	suivant la nomenciature
	secondo la distina base

(5) Parts, dotted display

Parts with dotted display on the figure are only used for orientation of other parts



Material number: 4474.051.332



Pos.	Information	Amendment number
	CUSTOMER: JCB	
	CUSTOMER-IDENT-NO.: 333/T3834	
	VEHICLE DESIGNATION: 436 HT	
	TYRE SIZE: 20,5 R 25 X-MINED2	
	TYRE RADIUS DYN.: 0,734 M	
	MAX. SPEED: 43 KM/H	
	TRACK WIDTH: 2.070 MM	
	PRODUCT DESCRIPTION: ZF- MULTITRAC-AXLE	
	VEHICLE TYPE: WHEEL LOADER	
	AXLE TYPE: MT-L 3075 II	
	VERSION: RIGID	
	AXLE ARRANGEMENT: REAR AXLE	
	DIRECTION OF ROTATION: CCW	
	CROWN WHEEL POSITION: LEFT	
	SPIRAL DIRECTION: LEFT	
	INPUT FLANGE: DS 1550	
	FLANGE TO FLANGE DIM.: 2.083 MM	
	AXLE INSTALLATION: CENTER TRUNNION W/O BRACKETS	
	MOUNTING DIMENSIONS: WITHOUT MACHINING	
	BRAKE TUBE: INTERNAL	
	VS BREMSLEITUNG: SONDER	
	MAIN DIFFERENTIAL: LIMITED-SLIP DIFFERENTIAL	
	DIFFERENTIAL TYPE/SIZE: DZ 1200	
	LOCKING RATIO: 30%	
	AXLE RATIO: 20,365	
	PLANETARY DRIVE: P4, I=6,4	
	SEALING TYPE OF SHAFT S STANDARD	
	BRAKE : SERVICE BRAKE	
	SERVICE BRAKE : 2X MULTI-DISC BRAKE 345X264X5	
	MULTI-DISC BRAKE: SINTER-LINED CLUTCH DISC	
	PISTON SEAL: STANDARD	
	BRAKE PORT SIZE: M18 X 1,5 VERTIKAL	
	RIM PITCH CIRCLE DIAM.: 425,00 MM	

Technical Cover Page 2 from 2

Material number: 4474.051.332



Pos.	Information	Amendment number
	WHEEL CONNECTION: BOLT 12 X M22 X 1,5	
	WHEEL NUTS: WITHOUT	
	OIL FILLING AXLE DRIVE: WITH	
	OIL FILLER: STANDARD	
	AXLE OIL COOLING: WITHOUT	
	OIL - GRADE AXLE DRIVE: TE ML 05 (TITAN POWERFLUID)	
	OIL - GRADE ALLOWED: TE ML 05 E/F/G	
	PRIMER PAINT: GRAPHITE-BLACK RAL 9011	
	PAINT-FREE AREA: INPUT FLANGE	
	TYPE PLATE	
	TYPE PLATE: ZF- STANDARD	
	AXLE BREATHER: WITHOUT	
	SEPERATE ORDER CUSTOMER 0732.612.001 AXLE BREATHER	
	4474.353.063 WHEEL SCREW L=42	
	4474.353.064 WHEEL SCREW L=50	
	OIL FILL QUANTITY CA: 23,00 L	
	DOCUMENTATION:	
	SECTION DRAWING: 4474.050.229	
	INSTALLATION DRAWING: 4474.651.228	
	INSTALLATION INSTRUCTIO 4474.700.088	
	TESTING INSTRUCTION: 4474.760.009	
	ASSEMBLY INSTRUCTION: 4474.700.084	

Assembly group overview Page 1 from 1

Material number: 4474.051.332




Graphics	Pos.	Material number	Name	Quantit y	Amend. no.	Techn. Info.
4474153002 00	60	4474.153.002	AXLE DRIVE HOUSING	1		
4474154002 00	10	4474.154.002	INPUT	1		
4460165643 50	20	4460.165.643	INPUT FLANGE	1		
4482061008 00	30	4482.061.008	DIFFERENTIAL 1200	1		
4474155047 00	70	4474.155.047	AXLE CASING	1		
4474156081 00	130	4474.156.081	OUTPUT	1		
00	40	4474.157.042	BRAKE	1		
00	80	4474.155.047	AXLE CASING	1		
4474156081 00	140	4474.156.081	OUTPUT	1		
4474157042 00	50	4474.157.042	BRAKE	1		
4474158033 00	160	4474.158.033	AXLE PARTS	1		
4474298251 00	KIT	4474.298.251	OUTPUT	1		

Plant Page 1 from 1

Material number: 4474.051.332 Plant: 447415300200 Material-assembly-group-no: 4474.153.002






Page 1 from 1

Material number: 4474.051.332 Plant: 447415400200 Material-assembly-group-no: 4474.154.002






Page 1 from 1

Material number: 4474.051.332 Plant: 446016564350 Material-assembly-group-no: 4460.165.643






Page 1 from 1

Material number: 4474.051.332 Plant: 448206100800 Material-assembly-group-no: 4482.061.008






Page 1 from 1

Material number: 4474.051.332 Plant: 447415504700 Material-assembly-group-no: 4474.155.047






Page 1 from 1

Material number: 4474.051.332 Plant: 447415608100 Material-assembly-group-no: 4474.156.081






Page 1 from 1

Material number: 4474.051.332 Plant: 447415504700 Material-assembly-group-no: 4474.155.047






Page 1 from 1

Material number: 4474.051.332 Plant: 447415608100 Material-assembly-group-no: 4474.156.081






Page 1 from 1

Material number: 4474.051.332 Plant: 447415803300 Material-assembly-group-no: 4474.158.033





Page 1 from 1

Material number: 4474.051.332 Plant: 447429825100 Material-assembly-group-no: 4474.298.251

