

Spare Parts Catalog AS 2045

Material number: 4475.006.052

Current date: 05.05.2021

ZF Friedrichshafen AG Hauptverwaltung 80038 Friedrichshafen Deutschland

Telefon: +49 7541 77-0

Telefax: +49 7541 77-908000 zuständiges Werk:

www.zf.com Passau

Notes relating to the spare parts catalog




Setup of the spare parts catalog

- Cover sheet
- Tecnical Cover (only in SDM print)
- Overview of figures
- Figure
- Associated parts list
- Next figure
- Associated parts list

- ..

Figure and parts list



Overview of figures

Bildtafel Figure			Technische Info Technical info	Description (Benennung)	Menge Quantity	Einheit Unit
068.08.17	1316.170.001	AUSLEGER	WL	SHIFT TURRET	1	Stk
068.08.06	1316.170.031	DECKEL	WL*H-H *VM	COVER	1	Stk
0680814	1316.170.808	DECKEL	WL*AUSL+GEH*H-H*HF160N	COVER	1	Stk
08	1316.170.441	ANSCHLUSSTEILE	WL*NG-VORB*RG-SCHL*168N *BAJONETT	CONNECTING PARTS	1	Stk

The "gap" indicates that there is no separate graphics panel (poster) for this assembly The parts of this assembly are shown with the same mid-section number on the figure

1 Positions and subpositions

Pos.	Sachnummer Product number	Benennung (Description)		Description (Benennung)	Menge Quantity	Einheit Unit
0370	1315.201.054	RUECKLAUFBOLZEN	KPL.16S151*SG*L= 79	REV.IDLER SHAFT	1	Stk
/0120	0631.329.293	SPANNSTIFT		SLOT. PIN	1	Stk

Positions marked with "/" are the individual items of a completion For example: Position 0370 contains a centering pin with the position /0120

2 Combinations with standardized parts

		Sachnummer Product number	Benennung (Description)		Description (Benennung)	Menge Quantity	Einheit Unit
C	0630		VERSCHL.SCHR.		SCREW PLUG	1	Stk
		0636.302.067	VERSCHL.SCHR.		SCREW PLUG	1	Stk
		0634.801.249	DICHTRING	A 26 X 31	SEALING RING	1	Stk

The parts list shows the components included in the combination of standardized parts

3 Depiction of position/item number on the figure and in the parts list

01.620 - on the figure 01 relates to the assembly in which the position is included. Due to program-related reasons, it is shown on the figure.

0620 - in the parts list

Pos.	Sachnummer Product number	Benennung (Description)	Description (Benennung)	Menge Quantity	Einheit Unit
0620	0732.040.736	DRUCKFEDER	COMPRESSION SPRING	1	Stk

(4) *-Positions

Positions marked with an * are optional i.e. inclusion in the parts list is not mandatory. The following note is shown on the figure

je nach Stücklistenausführung depending on spec. number suivant la nomenclature secondo la distina base

(5) Parts, dotted display

Parts with dotted display on the figure are only used for orientation of other parts

Technical Cover

Page 1 from 2

Material number: 4475.006.052



Pos.	Information	Amendment number
	KUNDE:DEUTZ FAHR(DF)	
	IDENT-NR:9.0441 9857 KY	
	QUESTIONNAIRE:	
	WITHOUT	
	PROJEKT-NR.:33941	
	VEHICLE DATA:	
	SCHLEPPER TM	
	MOTORLEISTUNG: P= 85 KW BEI N=2400 UPM	
	ENGINE POWER: P=107 KW IN N=2400 UPM	
	TYRES: SINGLE	
	TIRES:	
	RIM PITCH CIRCLE DIA: 275 MM	
	PRODUCT DESCRIPTION:	
	ANTRIEB:SEITLICH 45 MM	
	MOUNTING POSITION:FRONT AXLE	
	UEBERSETZUNG GES:I= 15,86	
	PLANETARY DRIVE: I= 6,00 P3-207-44	
	KEGELTRIEB: I= 2,64 Z=37/14	
	MOUNTING: SUSPENSION MID POSITION	
	FLANSCHMASS: L=1710	
	ARBEITSZYLINDER: INTEGRIERT/KARTUSCHE	
	INPUT:	
	TYPE: AE 400K	
	SENS OF ROTATION:CLOCKWISE	
	RING GEAR: SPIRAL DIRECTION RIGHT	
	FLANGE POSITION CONE-PULLEY-DRIVE: CENTER LEFT	
	FLANSCH AD=120 *LZ= 8 *D=M10,1	
	LIMITED-SLIP DIFFERENTIAL	
	TYP/GROESSE: DHL 400 MIT D 400	
	BEVEL SIDE GEAR SPLINE:N32X1,25	
	DRAWINGS:	
	SCHNITT: 4475 006 024(0)	
	EINBAU: 4475 606 023(0)	

Technical Cover

Page 2 from 2

Material number: 4475.006.052



Pos.	Information	Amendment number
	MONTAGEZCHNG:0899 501 685()	
	EINSTELL-VOR:4481 700 003()	
	TEST SPECIFICATION: 4475 760 003(2)	
	ASSEMBLY INSTRUCTION:	
	IDENT-NR.:0441 9857KY U.APL 2045 IN TYPENSCHILD PRAEGEN	
	POSITION OF RING GEAR: LEFT IN DIRECTION OF MOTION	
	RITZELEINSTELLMASS: 131,	
	*	
	MONTAGEVORSCHRNABENDICHTUNG 4475 507 001	
	L.W.SENSOR FUNKTION PRUEF.S.SCHNITTZEICHNUNG	
	INSTRUCTION FEET AXLE LEG FICTION 4475 504 001	
	OIL CAPACITY:	
	ACHSBRUECKE: CA. 6,00L	
	PLANETARY DRIVE: (APPRX) 0,80L	
	GESAMT: CA. 7,60L	
	OIL FILLING: YES	
	OIL SPECIFICATION:SAE 90 LS SPEZ.MIL-L 2105 D	
	WEIGHT-TOTAL:KG	
	COLOUR: 5 BLACK RAL 9005	
	PACKING:	
	MISCELLANEOUS/REMARKS:	
	FEDERUNG	
	ZWEI LENKWINKELSENSOREN	
	*	

Assembly group overview

Page 1 from 1

Material number: 4475.006.052



Graphics	Pos.	Material number	Name	Quantit y	Amend. no.	Techn. Info.
4475102002 01	10	4475.102.020	INPUT	1		
4475102002 02	20	4475.102.419	INPUT	1		
4481171001 00	30	4481.171.011	LIMIT.SLIP DIFF	1		
4475101077 01	70	4475.101.075	AXLE CASING	1		
4475101077 02	80	4475.101.516	AXLE CASING	1		
4475103002 01	90	4475.103.038	JOINT HOUSING	1		
4475103002 02	100	4475.103.417	JOINT HOUSING	1		
4475104002 00	110	4475.104.015	PLANETARY DRIVE	1		
4475105001 00	120	4475.105.041	STEERING	1		


Page 1 from 1

Material number: 4475.006.052

Plant: 447510200201

Material-assembly-group-no: 4475.102.020






Page 1 from 1

Material number: 4475.006.052

Plant: 447510200202

Material-assembly-group-no: 4475.102.419






Page 1 from 1

Material number: 4475.006.052

Plant: 448117100100

Material-assembly-group-no: 4481.171.011






Page 1 from 1

Material number: 4475.006.052

Plant: 447510107701

Material-assembly-group-no: 4475.101.075






Page 1 from 1

Material number: 4475.006.052

Plant: 447510107702

Material-assembly-group-no: 4475.101.516






Page 1 from 1

Material number: 4475.006.052

Plant: 447510300201

Material-assembly-group-no: 4475.103.038






Page 1 from 1

Material number: 4475.006.052

Plant: 447510300202

Material-assembly-group-no: 4475.103.417






Page 1 from 1

Material number: 4475.006.052

Plant: 447510400200

Material-assembly-group-no: 4475.104.015





Page 1 from 1

Material number: 4475.006.052

Plant: 447510500100

Material-assembly-group-no: 4475.105.041



